

L Number	Hits	Search Text	DB	Time stamp
1	2810	((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/28 00:30
2	733	73/514.01,514.05,514.09,514.33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 20:16
3	5423	(reject\$3) near4 (common-mode or cm or (common adj mode) or (noise with differen\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 22:22
4	3274	((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.) or 73/514.01,514.05,514.09,514.33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 20:17
5	13	((reject\$3) near4 (common-mode or cm or (common adj mode) or (noise with differen\$6))) and (((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.) or 73/514.01,514.05,514.09,514.33.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 20:17
6	886	(feedback or feed-back or (feed adj back) or (closed adj loop) or attenuat\$3 or regulat\$3) near4 ((undesired or noise) near2 (variations or voltage or temperature or pressure or accelerat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 20:30
8	4554	((reject\$3 or filter or attenuat\$3 or feedback or feed-back or (feed adj back) or (closed adj loop)) near4 (common-mode or cm or (common adj mode) or (noise with differen\$6))) with differen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 20:31
9	4461	((reject\$3 or filter or attenuat\$3 or feedback or feed-back or (feed adj back) or (closed adj loop)) near4 (common-mode or (common adj mode) or (noise with differen\$6))) with differen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:20
10	392	((reject\$3 or filter or attenuat\$3 or feedback or feed-back or (feed adj back) or (closed adj loop)) near4 (common-mode or (common adj mode) or (noise with differen\$6))) with differen\$6 and acceler\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 20:31
11	3	((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.) or 73/514.01,514.05,514.09,514.33.ccls.) and (((reject\$3 or filter or attenuat\$3 or feedback or feed-back or (feed adj back) or (closed adj loop)) near4 (common-mode or (common adj mode) or (noise with differen\$6))) with differen\$6 and acceler\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 20:31
7	52	((feedback or feed-back or (feed adj back) or (closed adj loop) or attenuat\$3 or regulat\$3) near4 ((undesired or noise) near2 (variations or voltage or temperature or pressure or accelerat\$3))) with differen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 20:39
18	5	("5703532" "6046638" "6137362" "6150881" "6160446").PN.	USPAT	2004/02/27 21:01

19	0	acceler\$6 with CMFB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:02
20	3	acceler\$6 and CMFB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:02
21	2953	((reduc\$4) near4 (common-mode or (common adj mode) or (noise with differen\$6)) with differen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:26
23	1	((reduc\$4) near4 (common-mode or (common adj mode) or (noise with differen\$6)) with differen\$6 and 73/514.01,514.05,514.09,514.33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:26
24	8	((reduc\$4) near4 (common-mode or (common adj mode) or (noise with differen\$6)) with differen\$6 and (((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.)) or 73/514.01,514.05,514.09,514.33.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:27
25	7	((reduc\$4) near4 (common-mode or (common adj mode) or (noise with differen\$6)) with differen\$6 and (((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.)) or 73/514.01,514.05,514.09,514.33.ccls.)) not (((reduc\$4) near4 (common-mode or (common adj mode) or (noise with differen\$6)) with differen\$6 and 73/514.01,514.05,514.09,514.33.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:21
26	93	(swing\$3) near4 (common-mode or (common adj mode) or (noise with differen\$6)) with differen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:26
27	93	((swing\$3) near4 (common-mode or (common adj mode) or (noise with differen\$6))) with differen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:26
28	2953	((reduc\$4) near4 (common-mode or (common adj mode) or (noise with differen\$6))) with differen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:26
29	0	((swing\$3) near4 (common-mode or (common adj mode) or (noise with differen\$6))) with differen\$6 and 73/514.01,514.05,514.09,514.33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:27
30	0	((swing\$3) near4 (common-mode or (common adj mode) or (noise with differen\$6))) with differen\$6 and (((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.)) or 73/514.01,514.05,514.09,514.33.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:27

31	3	(((((swing\$3) near4 (common-mode or (common adj mode) or (noise with differen\$6)))) with differen\$6) and acceler\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:55
32	7	5873053.URPN.	USPAT	2004/02/27 21:29
33	1330	acceler\$6 with cant\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:55
34	76	(acceler\$6 with cant\$6) and 73/514.01,514.05,514.09,514.33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:55
35	870	(thermal\$2 adj (conduct\$5 or convect\$3)) and ((common-mode or (common adj mode) or cm) with (amp or instrument\$5 or op-amp or amplif\$7 or opamp or differen\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:57
36	836	((thermal\$2 or heat\$3) adj (convect\$3 or transfer)) and ((common-mode or (common adj mode) or cm) with (amp or op-amp or amplif\$7 or opamp or differen\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 21:58
37	12971	((((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop))) with (amp or op-amp or amplif\$7 or opamp or differen\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:09
38	761	(((((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop))) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and ((skeleton adj crew) or accelero\$6 or cantilever or thermo\$6 or ((thermal\$2 or heat\$3 or free or natural\$2) adj (convect\$3 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:36
39	826	((skeleton adj crew) or accelero\$6 or cantilever) same (thermo\$6 or ((thermal\$2 or heat\$3 or free or natural\$2) adj (convect\$3 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:37
40	14	(common-mode or (common adj mode) or (noise with differen\$6)) and (((skeleton adj crew) or accelero\$6 or cantilever) same (thermo\$6 or ((thermal\$2 or heat\$3 or free or natural\$2) adj (convect\$3 or transfer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 22:26
41	6	(((((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop))) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and (((skeleton adj crew) or accelero\$6 or cantilever) same (thermo\$6 or ((thermal\$2 or heat\$3 or free or natural\$2) adj (convect\$3 or transfer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:35
42	315	(((((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop))) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and ((skeleton adj crew) or accelero\$6 or cantilever)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:36

43	3	((((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop))) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and ((skeleton adj crew) or accelero\$6 or cantilever)) and (((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.) or 73/514.01,514.05,514.09,514.33.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 22:28
44	102	((((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop))) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and (cantilever)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 22:29
45	13404	(((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop) or shift\$3 or swing\$3)) with (amp or op-amp or amplif\$7 or opamp or differen\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:35
46	6	((((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop) or shift\$3 or swing\$3)) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and 73/514.01,514.05,514.09,514.33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:13
47	6	(((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop) or shift\$3 or swing\$3)) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and (((700/299.ccls. or 257/414,419,420.ccls. or 438/50-55.ccls.) or 73/514.01.ccls.) or (("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:13
48	13404	(((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6) or (asymmetric\$4 adj interfer\$4)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop) or shift\$3 or swing\$3)) with (amp or op-amp or amplif\$7 or opamp or differen\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:21
49	6	((((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6) or (asymmetric\$4 adj interfer\$4)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop) or shift\$3 or swing\$3)) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and (((skeleton adj crew) or accelero\$6 or cantilever) same (thermo\$6 or ((thermal\$2 or heat\$3 or free or natural\$2) adj (convect\$3 or transfer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:36
50	319	(((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6) or (asymmetric\$4 adj interfer\$4)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop) or shift\$3 or swing\$3)) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and ((skeleton adj crew) or accelero\$6 or cantilever)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:36

51	769	(((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6) or (asymmetric\$4 adj interfer\$4)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop) or shift\$3 or swing\$3)) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and ((skeleton adj crew) or accelero\$6 or cantilever or thermo\$6 or ((thermal\$2 or heat\$3 or free or natural\$2) adj (convect\$3 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:37
52	30	(((common-mode or (common adj mode) or ((DC or voltage) adj (input or offset\$3)) or (noise with differen\$6) or (asymmetric\$4 adj interfer\$4)) near4 (control\$4 or regulat\$3 or attenuat\$3 or reject\$3 or offset\$3 or (off adj set\$4) or feedback or feed-back or (feed adj back) or (closed adj loop) or shift\$3 or swing\$3)) with (amp or op-amp or amplif\$7 or opamp or differen\$7))) and ((skeleton adj crew) or accelero\$6 or cantilever)) and (thermo\$6 or ((thermal\$2 or heat\$3 or free or natural\$2) adj (convect\$3 or transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:59
53	172	(proof adj mass).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 23:59
59	24	((("2440189" "2455394" "4478077" "4542650" "4581928" "4637253" "4651564" "5581034" "5719333" "5959208" "6171880" "5581034").pn.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/28 00:30
60	2	5959208.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/28 00:31